**Technical Specifications** 

### **HP E22 G5 FHD Monitor**




#### Front

I. Power Button

2. LED Power

### **Technical Specifications**

#### **HP E22 G5 FHD Monitor**



- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector
- 4. DisplayPort™ 1.2

#### Back

- **5.** HDMI 1.4 Port
- 6. USB-B Port
- **7.** SuperSpeed USB Type-A 5Gbps signaling rate (2)
- 8. SuperSpeed USB Type-A 5Gbps signaling rate (2) 1 charging

#### **Technical Specifications**

Model: 6N4E8AA

Panel Specifications Display Size (Diagonal) 21.5 inch (54.6 cm)

Viewable Diagonal Size 21.5 inch (54.621 cm)

Panel Technology IPS
Max Refresh Rate 75Hz

Native ResolutionFHD (1920 x 1080)Panel Bit Depth8 bit (6 bit + FRC)

Aspect Ratio 16:9
Brightness (Typical) 250 nits
Contrast Ratio (Static) 1000:1
Dynamic Contrast Ratio 8M:1
Flicker Free Yes

Pixel Pitch 0.25 x 0.25 mm

Pixels Per Inch (PPI) 102 PPI

**Display Colors** Up to 16.7 million colors supported\*

\*Number of colors through A-FRC technology.

**Backlight Lamp Life Minimum (To Half** 

Brightness - In Hours)

Backlight Type Edge-lit
Screen Treatment Anti-glare

Hardness 3H Haze 25%

**Response Time (Typical)** 5ms GtG (with overdrive)

Horizontal Viewing Angle
(Typical Cr>10)

Vertical Viewing Angle (Typical Cr>10)

178°

Panel Active Area Metric (W X H) 47.61 x 26.78 cm Panel Active Area Imperial (W X H) 18.74 x 10.54 in

**NOTE:** Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color sRGB 99%

Color Management Color Space/ Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

RGB Channel Adjust Yes, Gain

Default Color Temperature Neutral (6500K)

Factory Color Calibrated Yes (Color Temperature)

Factory Color Presets Warm - 5000K, Neutral - 6500K,

Cool - 9300K

**Monitor Specifications Bezel Type** 3-sided borderless

Color Of Stand Black & Silver

Color Of Head Black
Tilt Yes, -5~+23°

Swivel ±45°
Pivot ±90°
Height Adjust Range 150 mm

#### **Technical Specifications**

Vesa Mounting100 mm x 100 mmSecurity LockSecurity lock-ready

**Detachable Stand** Yes

Warranty 3/3/0 for AMS, EMEA, APJ (3/3/3 in select APJ countries)

Low Blue Light

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution

certified)

Management Software HP Display Center, HP Display Manager\*

\*Host PC requires Windows 10 and above. HP Display Center is

available on the Microsoft store.

On Screen Display (OSD)

On Screen Display Brightness+, Color, Input, Image, Power, Menu,

Management, Information, Exit

Native Resolution FHD (1920 x 1080)

Maximum Resolution FHD (1920 x 1080 @ 75 Hz)

**Preset Graphic Modes/Supported** 640 x 480 @ 60Hz **Resolutions** 640 x 480 @ 75Hz

720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 800 x 600 @ 75 Hz 1024 x 768 @ 60 Hz 1024 x 768 @ 75 Hz 1280 x 720 @ 50 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1280 x 1024 @ 75 Hz 1440 x 900 @ 60 Hz

1680 x 1050 @ 60 Hz 1920 x 1080 @ 50 Hz 1920 x 1080 @ 60 Hz 1920 x 1080 @ 75 Hz

1600 x 900 @ 60 Hz

Minimum Vertical Scan Rate50 HzMaximum Vertical Scan Rate75 HZMinimum Horizontal Scan Rate30.0 kHzMaximum Horizontal Scan Rate86.0 kHzMaximum Pixel Clock180.0 MHzUser Programmable ModesYes, 18.User-Assignable Function ButtonsYes, 4 (6 opt

Yes, 4 (6 options)
11 (English, Spanish, German, French, Italian,

Languages Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese

and Russian)

**Connector Types DisplayPort™** 1.2

**HDMI** 1 HDMI 1.4

**HDCP** Yes, DisplayPort™ and HDMI

#### **Technical Specifications**

**USB- A** 4 SuperSpeed USB Type-A 5Gbps signaling rate (1

charging)

Internal

**USB-B (Hub enablement)** 1 USB-B

Special Features SWITCH Monitor Power button

Next Active Input/ Up button Information / Down button Brightness / Left button Color / Right button Menu / Enter button

User Presets 18

**User Updateable Firmware** Yes

Power & Operating Power Supply

Specs Power Source 100-240VAC 50/60 Hz

Power Consumption- Max50WEnergy Saving/Stand By Mode0.5WPower Consumption - Typical20W

Energy Star Data Operational Mode at 100 VAC 11.6W

Operational Mode at 115 VAC 11.57W
Operational Mode at 230 VAC 11.64W

EU Energy Efficiency On-mode Power Consumption for Class (ErP LOT-5) Standard Dynamic Range (SDR)

Standard Dynamic Range (SDR)
ErP LOT5 Energy Efficiency Class for
Standard Dynamic Range (SDR)

13W



Operating Conditions Operating Temperature - Celsius  $5^{\circ} - 35^{\circ}C$ 

Operating Temperature - Fahrenheit  $41^\circ - 95^\circ F$ Non-Operating Temperature - Celsius  $-40^\circ - 65^\circ C$ Non-Operating Temperature -  $-40^\circ - 149^\circ F$ 

**Fahrenheit** 

**Operating Humidity** 20 – 80% Relative Humidity (non-condensing)

Non-Operating Humidity 5-95%

Operating Altitude 0-5,000 m (16,400 ft.)Non-operating Altitude 0-12,192 m (40,000 ft.)

Certifications and Low Halogen Yes\*
Compliances \*Exte

\*External power supplies, WWAN modules, power cords, cables

and peripherals excluded.

Agency Approvals and Certifications CE,CB,KC/KCC/NOM/PSB/PSE/ICE/TUV-S/ISO 9241-

307/cTUVus/GS/ISC/CCC/CEL/CECP/SEPA/TCO/TCO
Certified Edge/Hardware Low Blue Light/Energy Star/

Korea MEPS

/EAC/VCCI/FCC/BSMI/BIS/NRCS/UAE/Ukraine/Vietnam

MEPS/Australian-New Zealand MEPS/Ukraine

EE/WEEE/TGM

Microsoft WHQL Certification Win 11 (x64 only), Win 10 (x64 only)



#### **Technical Specifications**

ENERGY STAR® Certified	Yes
EPEAT® Registered	

Regions need to verify by country

EPEAT® Gold in United States\*

\*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit

http://www.epeat.net for more information.

China Energy LabelCEL Grade 1TCO Certified EdgeYesTCO CertifiedYes

SmartWay Transport Partnership - NA only

Yes (NA sku)

Contains Recycled Plastics

Contains Recycled Plastics Contains Ocean-Bound Plastic\*, 80% ITE-derived closed

loop plastic\*\*

\* All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by

\*\* ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

Recycled Metal At least 25% recycled metal\*

\*Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts

over 25 grams.

Recyclable Packaging (Box, packing materials)

**Product Weight** 

(Head Only)

Outside Box and corrugated cushions are 100%

sustainably sourced and recyclable\*

Molded Paper Pulp Cushion inside box is 100%

sustainably sourced and recyclable\*\*

\*100% outer box packaging and corrugated cushions made from

sustainably sourced certified and recycled fibers.

\*\* Molded pulp cushions are made from 100% recycled wood

fiber and organic materials.

Unit Product/Package Specifications

	<u>Metric</u>	<u>Imperial</u>
<b>Product Dimensions</b> (Unpacked with stand) (W x D x H)	48.87 x 21.1 x 49.295 cm	19.24 x 8.31 x 19.407 inch
Product Dimensions (Packed) (W x D x H)	57.1 x 14.0 x 36.3 cm	22.48 x 5.51 x 14.29 inch
Display Head Dimensions	48.87 x 4.60 x 29.39 cm	19.24 x 1.81 x 11.57 inch
(Unpacked without stand) (W x D x H)	(w/o hinge)	(w/o hinge)
	48.87 x 7.52 x 29.39 cm (w/ hinge)	19.24 x 2.96 x 11.57 inch (w/ hinge)
Base Area Footprint	242 x 187 mm	9.53 x 7.36 inch
(w x d mm)		
Bezel Measurements	Bottom: 18.21 mm	Bottom: 0.72 inch
Product Weight	4.9 kg	10.8 lb
(Unpacked with stand)		
Product Weight	6.8 kg	15.0 lb
(Packed)		

3.3 kg (w/ hinge)

2.9 kg (w/o hinge)

7.3 lb (w/ hinge)

6.4 lb (w/o hinge)

#### **Technical Specifications**

Pallet Information	Pallet Dimensions	Slip Sheet:	Slip Sheet:
--------------------	-------------------	-------------	-------------

(L x W x H mm) 1139 x 719 x 2187 mm 44.84 x 28.31 x 86.10 inch

(20' ft & 40' ft) (20' ft & 40' ft) Slip Sheet: Slip Sheet:

1139 x 719 x 2187 mm 44.84 x 28.31 x 86.10 inch

(40HQ) (40HQ) Pallet: Pallet:

1139 x 719 x 1955 mm 44.84 x 28.31 x 76.97 inch

(20' ft & 40' ft) (20' ft & 40' ft)

Pallet: Pallet:

1139 x 719 x 2318 mm 44.84 x 28.31 x 91.26 inch

(40HQ) (40HQ)

 Slip Sheet: 411.82 kg
 Slip Sheet: 907.91 lb

 (20' ft & 40' ft)
 (20' ft & 40' ft)

 Slip Sheet: 411.82 kg
 Slip Sheet: 907.91 lb

(40HQ)

(40H0)

(40HQ)

Pallet: 357.04 kg Pallet: 787.14 lb (20' ft & 40' ft) (20' ft & 40' ft) Pallet: 425.04 kg Pallet: 937.05 lb

(40HQ)

6 layers per slip sheet

5 layers or 6 layer per pallet 10 per layer (slip sheet) 10 per layer (pallet) 60 sets per slip sheet

50 sets or 60 sets per pallet

960 sets (slip sheet) 800 sets (pallet) 1920 sets (slip sheet) 1600 sets (pallet) 1920 sets (slip sheet)

1920 sets (pallet)

What's in the box?

AC power cord (1.83m) 5.9ft HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DP 1.2 cable (1.8m)

Container Load, 40-Foot HighQ

Warranty

**Quick Setup Poster** 

**Pallet Total Weight** 

**Pallet Layers** 

Pallet Product per Layer

Total Products per Pallet

Container Load, 20-Foot

Container Load, 40-Foot

User Guide and Warranty Languages **User Guide Languages** 

Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian,

Spanish, Swedish, Thai, Turkey, Ukrainian

#### **Technical Specifications**

**Warranty Languages** 

English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH)



## **Technical Specifications**

#### FNVIRONMENTAL DATA

ENVIRONMENTAL DATA				
<b>Eco-Label Certifications</b>	This product has received	or is in the process of being	g certified to the following approvals and may be	
& declarations	labelled with one or more			
	<ul> <li>IT ECO declaration</li> </ul>	1		
	US ENERGY STAR®	9		
		, Management Program (Fi	EMP)	
			. See http://www.epeat.net for registration	
	status in your cou			
	TCO Certified Edge	-		
		servation Program (CECP)		
		onmental Protection Admir	nistration (SEPA)	
	Taiwan Green Mai		,	
	Korea Eco-label			
	Japan PC Green la	hel*		
Sustainable Impact	• 85% ITE – derived closed			
Specifications	• 25% recycled metal	toop plastic		
	Low halogen			
		ted cushions are 100% sus	tainably sourced and recyclable	
			ainably sourced and recyclable	
	Recycled Plastic cushions		,	
System Configuration	The configuration used for	the Energy Consumption a	and Declared Noise Emissions data for the	
_	Notebook model is based of	on a "Typically Configured	Notebook".	
Energy Consumption				
(in accordance with US				
ENERGY STAR® test				
method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
Normal Operation (Short idle)	11.57 W	11.64 W	11.6 W	
Normal Operation (Long idle)	11.57 W	11.64 W	11.6 W	
Sleep	0.26 W	0.32 W	0.26 W	
Off	0.07 W	0.13 W	0.07 W	
<u> </u>	0.07 W 0.13 W 0.07 W			
	NOTE:			
	Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model			
	family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model			
	family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is			
for a typically configured PC featuring a hard disk drive, a high efficiency pov		·		
	Microsoft Windows® opera		ve, a mgn erriclency power supply, and a	
	Price osore windows opera	iting system.		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz	
Normal Operation (Short	39.6 BTU/hr	39.8 BTU/hr	39.7 BTU/hr	
idle)	33.0 2 . 0,	33.0 2 . 0,	33.7 210,1	
Normal Operation (Long	39.6 BTU/hr	39.8 BTU/hr	39.7 BTU/hr	
idle)	33.0 310/111	33.3 51 0/111	33 210/	
Sleep	0.9 BTU/hr	1.1 BTU/hr	0.9 BTU/hr	
Off	0.2 BTU/hr	0.4 BTU/hr	0.2 BTU/hr	
	5.2 51 6/111	5. i 5 i 6/iii	5.2 51 6/1II	
	*NOTE: Heat dissipation is	calculated based on the m	easured watts, assuming the service level is	
	attained for one hour.		and a second sec	

## **Technical Specifications**

Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable		
	features and/or components contained in the		
	Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.		
Additional Information	<ul> <li>This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.</li> <li>This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC.</li> <li>This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).</li> <li>This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net</li> <li>Plastics parts weighing over 25 grams used in the product are marked per IS011469 and IS01043.</li> <li>This product is 99.2% recycle-able when properly disposed of at end of life.</li> </ul>		
Packaging Materials	External:	PAPER/Corrugated	997 g
		PAPER/Molded Pulp	401 g
	Internal:	PLASTIC/EPE (Expanded Polyethylene)	24 g
		PLASTIC/EPE (Expanded Polyethylene)	6 g
		PLASTIC/EPE (Expanded Polyethylene)	6 g
	The plastic p	packaging material contains at least 0.0% recycled conten	t.
		ted paper packaging materials contains at least 100% rec	
RoHS Compliance	HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.  We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.  We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.  To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.		
Material Usage	This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html">http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html</a> ):		
	<ul> <li>Cert</li> <li>Cert</li> <li>Cadı</li> <li>Chlo</li> <li>Chlo</li> <li>Bis(i</li> <li>Benz</li> <li>Dibu</li> </ul>	estos ain Azo Colorants ain Brominated Flame Retardants – may not be used as fla mium rinated Hydrocarbons rinated Paraffins 2-Ethylhexyl) phthalate (DEHP) zyl butyl phthalate (BBP) ityl phthalate (DBP)	ame retardants in plastics



## **Technical Specifications**

	Formaldehyde
	Halogenated Diphenyl Methanes
	Lead carbonates and sulfates
	Lead and Lead compounds
	Mercuric Oxide Batteries
	Nickel – finishes must not be used on the external surface designed to be frequently
	handled or carried by the user.
	Ozone Depleting Substances
	Polybrominated Biphenyls (PBBs)
	Polybrominated Biphenyl Ethers (PBBEs)
	Polybrominated Biphenyl Oxides (PBBOs)
	Polychlorinated Biphenyl (PCB)     Polychlorinated Biphenyl (PCB)
	Polychlorinated Terphenyls (PCT)
	<ul> <li>Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications.</li> </ul>
	Radioactive Substances
	Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	HP follows these guidelines to decrease the environmental impact of product packaging:
	Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in
	packaging materials.
	Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
	Design packaging materials for ease of disassembly.
	Maximize the use of post-consumer recycled content materials in packaging materials.
	Use readily recyclable packaging materials such as paper and corrugated materials.  Padves size and weight of packaging materials such as paper and corrugated materials.
	Reduce size and weight of packages to improve transportation fuel efficiency.  Reduce size and weight of packages to improve transportation fuel efficiency.
	Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle
and Recycling	your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales
and Recycling	
	office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.
	The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for
	each product type for use by treatment facilities. This information (product disassembly
	instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These
	instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM
	customers who integrate and re-sell HP equipment.
HP, Inc. Corporate	For more information about HP's commitment to the environment:
Environmental	ו טו וווטר וווטרוומנוטוו מטטענ דור 5 בטוווווונווופווג נט נוופ פוועווטוווופווג.
Information	Clabal Citizenship Deport
miumatium	Global Citizenship Report
	http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications
	http://www8.hp.com/us/en/hp-information/environment/ecolabels.html
	ISO 14001 certificates:
	http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842
	and
	http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf



## **Technical Specifications**

footnotes	<ul> <li>Percentage of ocean-bound plastic contained in each component varies by product</li> <li>Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.</li> <li>External power supplies, WWAN modules, power cords, cables and peripherals excluded.</li> <li>100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.</li> <li>Fiber cushions made from 100% recycled wood fiber and organic materials.</li> <li>Plastic cushions are made from &gt;90% recycled plastic.</li> <li>Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams</li> </ul>



### **Technical Specifications**

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



## Summary

Change Log			
April 12, 2023	V1 to V2	Updated	Color Management section
	V2 to V3		

