

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 4413 Accredited to ISO/IEC 17025:2017	MS Testing – a trading division of Mariner Systems (UK) Ltd Issue No: 028 Issue date: 20 December 2024	
	5 Maple Way Aycliffe Industrial Park Newton Aycliffe Co Durham DL5 6BF	Contact: Mr S Thompson Tel: +44 (0)1325 321366 Fax: +44 (0)1325 319369 E-Mail: info@mstesting.co.uk Website: www.mstesting.co.uk
Testing performed at the above address only		


Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address: 5 Maple Way Aycliffe Industrial Park Newton Aycliffe Co Durham DL5 6BF Local contact: Mr S Thompson Tel: +44 (0)1325 321366 Fax: +44 (0)1325 319369 E-Mail: info@mstesting.co.uk	Testing: EMC Testing Environmental Testing	A

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Any location suitable for the activity listed. The site must be suitable for the nature of the testing undertaken and will be the subject of contract review arrangements between the laboratory and the customer, Local contact: Mr S Thompson	Environmental (IPX5) Testing	S



issued by

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

– a trading division of Mariner Systems (UK) Ltd

Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

DETAIL OF ACCREDITATION



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	ENVIRONMENTAL TESTS (cont'd) 1. CLIMATIC (cont'd) 1.3 HIGH HUMIDITY - Constant/Cyclic Humidity range: 10 % rh to 98 % rh (at temps > + 10 °C) Max temperature: + 70 °C Max chamber size: 1.6 m x 1.9 m x 1.6 m	IEC 60068-2-30:2005 IEC 60068-2-78:2001 BS EN 60068-2-30:2005 Test Db BS EN 60068-2-78:2002 BS EN 60068-2-78:2013 BS EN 60945, section 8.3 IACS E10: 2022	A
	1.4 SALT MIST Temp range: ambient to + 55 °C	IEC 68-2-52:Kb EN 60068-2-52:Kb:1996 EN 60068-2-52:Kb:2017 BS EN 60945:2002, section 8.12 Lloyds Spec No 1:2002, CI 16 Lloyds Spec No 1:2019, CI 16 IACS E10: 2022	A
	1.5 THERMALSHOCK Max temp: 80°C Min temp: -30°C Max chamber size: 990 x 1080 x 1080 mm	BS EN 60068-2-14:2009 BS EN 60068-2-14:2023 Na Shock Nb Cycle Nc Fluid bath	



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	ENVIRONMENTAL TESTS (cont'd) 2. INGRESS PROTECTION Protected against solid objects greater than 50 mm dia Protected against solid objects greater than 12.5 mm dia Protected against solid objects greater than 2.5 mm dia Protected against solid objects greater than 1.0 mm dia Dust Protected Dust Tight Protected against splashing water Protected against water jets Protected against powerful water jets Protected against the effects of immersion Protection against the effects of continuous immersion	BS EN 60529:1992 A1 & A2 BS EN 60529:2013 IP1X IP2X IP3X IP4X IP5X IP6X IPX4 IPX5 IPX6 IPX7 IPX8	A A A A A A A, S A A A



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	ENVIRONMENTAL TESTS (cont'd)		
	3. DYNAMIC		
	3.1 VIBRATION - Sinusoidal (ambient temperature) Freq range: 2 to 3000 Hz Max pk/pk displacement: ± 25 mm	BS EN 60068-2-6:1996 BS EN 60068-2-6:2008 IEC 60068-2-6:2007 BS EN 60945, section 8.7 IACS E10: 2022 ISO 13628-6: 2006 API 17F Ed 4 2017 and Ed 5: 2023	A
	3.2 VIBRATION – Random (ambient temperature) Freq range: 2 to 3000 Hz Max pk/pk displacement: ± 25 mm	BS EN 60068-2-64:2008 IEC 60068-2-64:2008 BS EN 60068-2-64:2019 IEC 60068-2-64:2019 ISO 13628-6: 2006 API 17F Ed 4 2017 and Ed 5: 2023	A
	3.3 SHOCK - Half sine (ambient temperature) Max severity: 50 gn Pulse width: 6 ms to 11 ms	BS EN 60068-2-27:1993 BS EN 60068-2-27:2009	A
	3.4 STATIC INCLINATION Max angle: 45° Max item size: 3 m x 3 m x 3 m Max mass: 500 kg	IEC 60092-504:2001 IEC 60092-504:2016 IACS E10: 2022	A
	3.5 DYNAMIC INCLINATION Max angle: 45° Max item size: 3 m x 3 m x 3 m Max mass: 500 kg	IEC 60092-504:2001 IEC 60092-504:2016 IACS E10: 2022	A
	3.6 ACOUSTIC NOISE Sound pressure level at 1 m 30 to 135 dBA	BS EN 60945, section 11.1	A



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	4. VOLTAGE TESTS		
	High Voltage Tests	IACS Req:1991/issue 5 E10 IACS Req:1991/issue 7 E10 IACS E10: 2022 IEC 60947-2	A
	1500V ac		
	Insulation Breakdown 500 V dc 100 M Ohms	IEC60092-504 prior to and following Damp heat and low temperature tests in IEC 60945:2002 8.3 and 8.4 IACS E10: 2022	A
	Power supply Variation	IEC 60945:2002 + Corr 1:2008 section 10.7 IACS E10: 2022	A
	Power Supply Failure	IEC 60945:2002 + Corr 1:2008 section 10.8 IACS E10: 2022	A
	5. EMC TESTS		
	5.1 Electrostatic Discharge	IEC 60945:2002 + Corr 1:2008 section 10.9 IEC 61000-4-2:2001 IEC 61000-4-2:2008 EN 61000-4-2:2009	A
	8 kV Air Discharge 6 kV Contact Discharge		
	5.2 Electrical Fast Transient	IEC 60945:2002 + Corr 1:2008 section 10.5 IEC 61000-4-4:2004 EN 61000-4-4:2004 EN 61000-4-4:2004 + A1:2010 EN 61000-4-4:2012	A
	Bursts 4 kV		
	5.3 Surge	IEC 60945:2002 + Corr 1:2008 section 10.6 IEC 61000-4-5:2005 EN 61000-4-5:2006 EN 61000-4-5:2014 + A1: 2017	A
	4 kV		



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	EMC TESTS (cont'd)		
	5.4 Compass Safe Distance	IEC 60945:2002 + Corr 1:2008 section 11.2	A
	5.5 Radiated Immunity 80 to 6000 MHz, ≤ 10 V/m 80 to 1000 MHz 20 V/m (uniform field size 1.5m x 0.5m)	IEC 60945:2002 + Corr 1:2008 section 10.4 EN 61000-4-3:2006 + A1:2008 EN 61000-4-3:2006 + A1:2008 + A2:2010 EN IEC 61000-4-3:2020	A
	5.6 Conducted Emissions 9 kHz to 30 MHz	IEC 60945:2002 + Corr 1:2008 Section 9.2 EN 55016-2-1:2009 EN 55016-2-1:2009 + A2: 2013 EN 55016-2-1:2014 EN 55016-2-1: 2014 + A1: 2017 EN 55022:2006 + A1:2007 (excluding telecommunication ports) EN 55022:2010 EN 55032:2015 +A11:2020 Excluding antenna port EN 55014-1:2006 EN 55014-1:2006 + A1:2009 EN 55014-1:2017 EN 55014-1: 2021 EN 55011:2009 +A1:2010 EN 55011:2016 + A1:2017 +A11:2020 (excluding Group 2 apparatus & grid connected power converters)	A



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of **Mariner Systems (UK) Ltd**
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	EMC TESTS (cont'd) 5.7 Radiated Emissions 150 kHz to 6000 MHz	IEC 60945:2002 + Corr 1:2008 Section 9.3 EN 55016-2-3:2006 EN 55016-2-3:2006 + A1:2007 + A2:2014 EN 55016-2-3:2017 +A1:2019 EN 55022:2006 + A1:2007 EN 55022:2010 EN 55032:2015 +A11:2020 EN 55014-1:2006 EN 55014-1: 2006 + A1:2009 EN 55014-1: 2017 EN 55014-1: 2021 EN 55011:2009 + A1:2010 (excluding Group 2 apparatus) EN 55011:2016 (excluding Group 2 apparatus) EN 55011: 2016 + A1: 2017 +A11:2020 (excluding Group 2 apparatus)	A
	5.8 Discontinuous Emissions (Clicks): 10 kHz to 30 MHz	EN 55014-1:2006 + A1:2009 EN 55014-1:2017 EN 55014-1: 2021	A
	5.9 Conducted Current Harmonics (Emissions) Measurements up to 40 th Harmonic Equipment Input Current $\leq$ 16A per phase	EN 61000-3-2:2006 +A2:2009 EN 61000-3-2:2014 EN IEC 61000-3-2:2019	A
	5.10 Conducted AC Mains Flicker (Emissions)	EN 61000-3-3:2008 EN 61000-3-3:2013 +A1:2019 EN 61000-3-3: 2013 + A2: 2021	A



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	EMC TESTS (cont'd)		
	5.11 Voltage Dips and Interruptions	EN 61000-4-11:2004 EN 61000-4-11:2004 + A1: 2017 EN IEC 61000-4-11: 2020	A
	5.12 Power Absorbing Emissions Measurements (Power Clamp) 30 to 300 MHz	EN 55014-1:2006 EN 55014-1: 2006 + A1:2009 EN 55014-1: 2017 EN 55016-2-2:2004 +A1:2005 + A2:2005	A
	5.13 Conducted Low Frequency Immunity 50 Hz - 10 kHz	IACS E10: 2006 IACS E10: 2014 IACS E10: 2018 IACS E10: 2022	A
	5.14 Conducted Radio Frequency Immunity 150 kHz to 230 MHz RF Voltage up to 10 V rms	EN 61000-4-6:2009 EN 61000-4-6:2014 IEC 60945:2002 + Corr 1:2008 section 10.3	A
	5.15 Power Frequency Magnetic Fields (Immunity) Frequency: DC to 1 kHz Field Strength: Up to 30 A/m	EN 61000-4-8:1993 + A1:2001 EN 61000-4-8: 2010	A
	5.16 Power-Frequency Magnetic Fields (Immunity) (Pulsed) Field Strength: Up to 1000 A/m	EN 61000-4-9:1993 +A1:2001 EN 61000-4-9:2016	A



4413
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

MS Testing
– a trading division of Mariner Systems (UK) Ltd
Issue No: 028 Issue date: 20 December 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 1	EMC TESTS (cont'd) 5.17 Product Standards The EMC standards listed are accredited to the extent that they call up the basic standards as accredited within this schedule.	EN 50130-4:1994 + A1:1998 + A2:2003 EN 50130-4: 2011 + A1:2014 EN 50270:2006 EN 50270: 2015 EN 55014-2:1997 + A2:2008 EN 55014-2: 2015 EN 55024:1998 + A1:2001 + A2:2003 EN 55024:2010 + A1:2015 EN 55035: 2017 + A11: 2020 EN 61000-6-1:2007 EN IEC 61000-6-1:2019 EN 61000-6-2:2005 EN IEC 61000-6-2:2019 EN 61000-6-3:2007 EN 61000-6-3:2007 + A1:2011 EN IEC 61000-6-3:2020 EN 61000-6-3: 2021 EN 61000-6-4:2007 EN 61000-6-4:2007 + A1:2011 EN IEC 61000-6-4:2019 EN 61326-1:2006 EN 61326-1:2013 EN IEC 61326-1: 2021 EN 61326-2-6:2013 EN IEC 61326-2-6: 2021 EN 50121-3-2: 2016 + A1: 2019 EN 50121-4:2006 IACS E10:2022	A
END			