

TYPE APPROVAL CERTIFICATE

This is to certify:**That the Personal Computer**

with type designation(s)

HP EliteDesk 800 G5 Small Form Factor (SFF) and Tower (TWR) PC

Issued to

**Mariner Systems (UK) Ltd.
Wokingham, Berkshire, United Kingdom**

is found to comply with

DNV GL rules for classification – Ships, offshore units, and high speed and light craft**Application :****Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.****Approved only with Mariner Kit shown on page 2.****Location classes:**

Temperature	D
Humidity	B
Vibration	A
EMC	B
Enclosure	Required protection according to DNV GL Rules shall be provided upon installation on board

Issued at **Høvik** on **2020-04-14**for **DNV GL**This Certificate is valid until **2025-04-13**.DNV GL local station: **Newcastle-upon-Tyne**Approval Engineer: **Ståle Sneen****Marta Alonso Pontes
Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Job Id: **262.1-032983-1**
Certificate No: **TAA00002R3**

Product description

HP EliteDesk 800 G5 Small Form Factor (SFF) and Tower (TWR) Personal Computer.
Verified for nominal supply voltage: 230 V ~ 50/60 Hz and 115 V ~ 60 Hz

Application/Limitation

Approval **ONLY** applies when used in conjunction with Mariner Systems (UK) Ltd:

Mariner Kit:

MS2550 HP EliteDesk 800 G5 TWR PC (Desktop configuration)
MS2560 HP EliteDesk 800 G5 TWR PC (Tower configuration)
MS2570 HP EliteDesk 800 G5 SFF PC (Horizontal mount)
MS2580 HP EliteDesk 800 G5 SFF PC (Vertical mount)

Only to be installed together with in-line power filter RF 1004-MST-C.

Shielded cable is required for connection to Ethernet port.

HP EliteDesk 800 G5 TWR PC:

Steering, Standby and Emergency Compass Safe Distance 1.0 Degree deflection: 900 mm
Standard Compass Safe Distance 0.3 Degree deflection: 1000 mm

HP EliteDesk 800 G5 SFF PC:

Steering, Standby and Emergency Compass Safe Distance 1.0 Degree deflection: 700 mm
Standard Compass Safe Distance 0.3 Degree deflection: 1000 mm

Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

Product certificate

If specified in the Rules, ref. Pt.4 Ch.9 Sec.1, the control and monitoring system in which the above listed hardware is used shall be delivered with a product certificate. For each such delivery the certification test is to be performed at the manufacturer of the application system before the system is shipped to the yard. The test shall be done according to an approved test program. After certification the clause for software control will be put into force.

Software control

All changes in software are to be recorded as long as the system is in use on board. Documentation of major changes is to be forwarded to DNV GL for evaluation and approval before implemented on board. Certification of modified functionality may be required for the particular vessel.

Job Id: **262.1-032983-1**
Certificate No: **TAA00002R3**

Type Approval documentation

Report TL19106 Issue 2, HP EliteDesk 800 G5 Tower (TWR) PC1, dated 2020-03-30
Report TL19111 Issue 2, HP EliteDesk 800 G5 Small Form Factor (SFF) PC1, dated 2020-03-30
Report TL19112 Issue 2, HP EliteDesk 800 G5 Small Form Factor (SFF) PC2, dated 2020-03-30
QuickSpecs HP EliteDesk 800 G5 and HP EliteOne 800 G5 Business Desktops PCs, doc. c06320288 – DA-16479 – Worldwide – Version 15, dated 2019-11-26
QuickSpecs Networking Adapters for HP Workstations, doc. c05105339 – DA-15619 Worldwide – Version 5, dated 2018-09-21
MS Testing, Marine Type Approval Test Requirements – Issue 14, October 2019
Mariner Systems (UK) Ltd, HP EliteDesk 800 G5 PC Series – Component Options – History, doc. HP 800 G5 Components Dec 19, dated 2019-12-06
Filter type RF 1004-MST-C, Dwg. No. DS 103-MST, Issue No. 0.1
MS2550 Assembly, Dwg. No. MS2550_A, Issue No.1, dated 2019-11-13
MS2560 Assembly, Dwg. No. MS2560_A, Issue No.1, dated 2019-11-13
MS2570 Assembly, Dwg. No. MS2570_A, Issue No.1, dated 2019-11-13
MS2580 Assembly, Dwg. No. MS2580_A, Issue No.1, dated 2019-11-13
Type approval initial assessment report for TAA00002R3, DNV GL Manchester 2020-04-06

Tests carried out

Applicable tests according to class guideline DNVGL-CG-0339, December 2019.
Shock test (15g, 11ms, repeated 20 times for each axis) according to EN 60068-2-27:2009.
Applicable tests for protected equipment according to IEC 60945, 4th edition (2002), except section 8.12 'Corrosion'.

Marking of product

Mariner Kit Number + HP product label, as listed under Application/Limitation.

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE